

Standard TC Nozzles

Nb	Flow rate L/min. at 100 bar	Equivalent Orifice size (mm)	Equivalent Orifice size (inch)	Angle °	Exitflex reference	Body length
1	0.57	0.33	0.013	110	63-502/30-EX 1100025	short
2	0.75	0.38	0.015	110	63-502/30-EX 1100033	short
3	0.89	0.41	0.016	110	63-502/30-EX 1100039	short
4	1.10	0.46	0.018	110	63-502/30-EX 1100050	short
5	1.50	0.53	0.021	110	63-502/30-EX 1100067	short
6	1.80	0.58	0.023	110	63-502/30-EX 1100080	short
7	2.30	0.66	0.026	110	63-502/30-EX 11001	short
8	3.40	0.79	0.031	110	63-502/30-EX 110015	short
9	4.60	0.91	0.036	110	63-502/30-EX 11002	short
10	6.80	1.10	0.043	110	63-503/30-EX 11003	long
11	9.10	1.30	0.052	110	63-503/30-EX 11004	long
12	11.40	1.40	0.055	110	63-503/30-EX 11005	long
13	13.70	1.60	0.062	110	63-503/30-EX 11006	long
14	16.00	1.70	0.067	110	63-503/30-EX 11007	long
15	18.20	1.80	0.072	110	63-503/30-EX 11008	long
16	21.00	1.90	0.076	110	63-503/30-EX 11009	long
17	27.00	2.30	0.090	110	63-503/30-EX 11012	long
18	3.40	0.79	0.031	130	63-502/30-EX 130015	short
19	4.60	0.91	0.036	130	63-503/30-EX 13002	long
20	6.80	1.10	0.043	130	63-503/30-EX 13003	long
21	9.10	1.30	0.052	130	63-503/30-EX 13004	long
22	11.40	1.40	0.055	130	63-503/30-EX 13005	long
23	13.70	1.60	0.062	130	63-503/30-EX 13006	long
24	18.20	1.80	0.072	130	63-503/30-EX 13008	long
25	13.70	1.60	0.062	40	63-503/30-EX 4006	long
26	6.80	1.10	0.043	50	63-503/30-EX 5003	long
27	13.70	1.60	0.062	50	63-503/30-EX 5006	long
28	0.39	0.28	0.011	65	63-502/30-EX 650017	short
29	0.57	0.33	0.013	65	63-502/30-EX 650025	short
30	0.75	0.38	0.015	65	63-502/30-EX 650033	short
31	0.89	0.41	0.016	65	63-502/30-EX 650039	short
32	1.00	0.43	0.017	65	63-502/30-EX 650044	short
33	1.10	0.46	0.018	65	63-502/30-EX 650050	short
34	1.50	0.53	0.021	65	63-502/30-EX 650067	short
35	1.80	0.58	0.023	65	63-502/30-EX 650080	short
36	2.30	0.66	0.026	65	63-502/30-EX 6501	short
37	3.40	0.79	0.031	65	63-502/30-EX 65015	short
38	4.60	0.91	0.036	65	63-502/30-EX 6502	short
39	6.80	1.10	0.043	65	63-503/30-EX 6503	long
40	9.10	1.30	0.052	65	63-503/30-EX 6504	long
41	11.40	1.40	0.055	65	63-503/30-EX 6505	long
42	13.70	1.60	0.062	65	63-503/30-EX-6506	long
43	16.00	1.70	0.067	65	63-503/30-EX 6507	long
44	18.20	1.80	0.072	65	63-503/30-EX-6508	long
45	21.00	1.90	0.076	65	63-503/30-EX 6509	long
46	0.57	0.33	0.013	80	63-502/30-EX 800025	short
47	0.75	0.38	0.015	80	63-502/30-EX 800033	short
48	0.89	0.41	0.016	80	63-502/30-EX 800039	short
49	1.50	0.53	0.021	80	63-502/30-EX 800067	short
50	1.80	0.58	0.023	80	63-502/30-EX 800080	short
51	2.30	0.66	0.026	80	63-502/30-EX 8001	short
52	3.40	0.79	0.031	80	63-502/30-EX 80015	short
53	4.60	0.91	0.036	80	63-502/30-EX 8002	short
54	6.80	1.10	0.043	80	63-503/30-EX 8003	long

Nb.	Flow rate L/min. at 100 bar	Equivalent Orifice size (mm)	Equivalent Orifice size (inch)	Angle °	Exitflex reference	Body length
55	9.10	1.30	0.052	80	63-503/30-EX 8004	long
56	11.40	1.40	0.055	80	63-503/30-EX 8005	long
57	13.70	1.60	0.062	80	63-503/30-EX 8006	long
58	16.00	1.70	0.067	80	63-503/30-EX 8007	long
59	18.20	1.80	0.072	80	63-503/30-EX 8008	long
60	21.00	1.90	0.076	80	63-503/30-EX 8009	long
61	0.39	0.28	0.011	95	63-502/30-EX 950017	short
62	0.57	0.33	0.013	95	63-502/30-EX 950025	short
63	0.75	0.38	0.015	95	63-502/30-EX 950033	short
64	0.89	0.41	0.016	95	63-502/30-EX 950039	short
65	1.50	0.53	0.021	95	63-502/30-EX 950067	short
66	1.80	0.58	0.023	95	63-502/30-EX 950080	short
67	2.30	0.66	0.026	95	63-502/30-EX 9501	short
68	3.40	0.79	0.031	95	63-502/30-EX 95015	short
69	4.60	0.91	0.036	95	63-502/30-EX 9502	short
70	6.80	1.10	0.043	95	63-503/30-EX 9503	long
71	9.10	1.30	0.052	95	63-503/30-EX 9504	long
72	11.40	1.40	0.055	95	63-503/30-EX 9505	long
73	13.70	1.60	0.062	95	63-503/30-EX 9506	long
74	16.00	1.70	0.067	95	63-503/30-EX 9507	long
75	18.20	1.80	0.072	95	63-503/30-EX 9508	long
76	23.00	2.00	0.079	95	63-503/30-EX 9510	long

Soft Edge (SE) TC Nozzles

Nb.	Flow rate L/min. at 100 bar	Equivalent Orifice size (mm)	Equivalent Orifice size (inch)	Angle °	Exitflex reference	Body length
77	2.30	0.66	0.026	65	63-502/30-EX-SE 6501	short
78	3.40	0.79	0.031	65	63-502/30-EX-SE 65015	short
79	4.60	0.91	0.036	65	63-502/30-EX-SE 6502	short
80	6.80	1.10	0.043	65	63-503/30-EX-SE 6503	long
81	9.10	1.30	0.052	65	63-503/30-EX-SE 6504	long
82	11.40	1.40	0.055	65	63-503/30-EX-SE 6505	long
83	13.70	1.60	0.062	65	63-503/30-EX-SE 6506	long
84	4.60	0.91	0.036	80	63-502/30-EX-SE 8002	short
85	6.80	1.10	0.043	80	63-503/30-EX-SE 8003	long
86	9.10	1.30	0.052	80	63-503/30-EX-SE 8004	long
87	11.40	1.40	0.055	80	63-503/30-EX-SE 8005	long
88	4.60	0.91	0.036	95	63-502/30-EX-SE 9502	short
89	6.80	1.10	0.043	95	63-503/30-EX-SE 9503	long
90	9.10	1.30	0.052	95	63-503/30-EX-SE 9504	long
91	11.40	1.40	0.055	95	63-503/30-EX-SE 9505	long
92	4.60	0.91	0.036	110	63-502/30-EX-SE 11002	short
93	6.80	1.10	0.043	110	63-503/30-EX-SE 11003	long
94	9.10	1.30	0.052	110	63-503/30-EX-SE 11004	long
95	11.40	1.40	0.055	110	63-503/30-EX-SE 11005	long



Exitflex SA
 Chemin de la Crétaux 2
 1196 Gland
 Switzerland
 Email: info@exitflex.com

